


460x230mm flexible LED sheet



- Size: 460x230mm Flexible LED Sheet SPI Magic Color , IC Using SM
- Using 3M 300LSE, SM butt-joint terminal connection, easy installation
- Power supply connected in series: 1PCS, signal connected in series: 3PCS
- Ceiling soft film, advertising light box, dedicated product, Cover film height 50mm no light spot
- Certified by CE, CB, RoHS, UL, ETL

Technologies

- SPI-RGBW


Application

- This product is suitable for home decoration: project engineering, buildings, hotels, shopping malls, indirect lighting, recessed lighting, decorative lighting, etc.

Color Options



Beam Angle



Dimensions



Product Specifications

P/N	LED Quantity	Size (mm)	CRI	LED (SM)	LUMENS (Lm/pcs)	Current (A/pcs)	Power (W/pcs)	Cut length (mm)	CCT
RL-FV24230200505052-RGBW-SPI	5050	460x230	80/90	200	1050	2.16	52	460x23	R:620-630nm
									G:520-530nm
									B:465-475nm
									W:2700-6500K

Other Specifications

Protection grade	IP20
Working temperature(°c)	-25~+45
Storage environment temperature (°c)	-25~+70
Standard length	2
Maximum cascade length(m)	2
weight	/


Remark

- The test environment temperature is 25±2°C;
- The above data are typical values, the actual parameters of the product may be different from the typical data; the data is subject to change without notice;



Applied Standards



Schematic diagram of electrical connection





Mounting on surface




Cutting method


Cutting according to requirements



Minimum Cutting Unit: 460x23mm



Package



Type	Items	Per carton
RL-FV24230200505052-RGBW-SPI	Sheet-Qty	25
	Weight-KG	20
	Dimension-mm	550*550*250mm

Note :The above-mentioned packaging quantity and weight are only for the packaging method shown in the figure. There will be differences in the number and weight of packaging for other packaging methods, and the actual product shall prevail.



Specialized
LED Strip Manufacturer

Shenzhen
Relight Technology Co.,Ltd

6th Floor, Building A, Guancheng Industrial Park, Gongming Town,
Guangming District, Shenzhen, China

Tel: 86 0755 33 69 1713
Web: www.relight-tech.com
E-mail: Sales@relight-tech.com